

**DEVINE INDEPENDENT SCHOOL DISTRICT
RFP # CAFE 002-2024**

The Devine Independent School District will be accepting requests for proposals for the elementary cafeteria serving line:

Specifications are attached.

The District reserves the right to reject any bid and /or all bids, to make awards, as they may appear to be advantageous to the District and to waive all formalities in the RFP process. Additional information may be obtained by contacting Annette Benavidez at (830) 851-0412.

DEVINE INDEPENDENT SCHOOL DISTRICT
605 W Hondo Ave
DEVINE, TEXAS 78016

RFP # CAFE 002-2024

April 26, 2024

2:00 P.M.

Firm Submitting RFP

Address

City

State

Zip

Person Submitting RFP

Phone Number

Fax

Date

SIGNATURE OF AUTHORIZED REPRESENTATIVE

TOTAL AMOUNT OF BID:

PROPOSE TO PROVIDE AND STATEMENT OF NON-COLLUSION

I/We propose to provide the merchandise and/or services proposed within this document, and if awarded the proposal, do agree to abide by all conditions of the proposal. Furthermore, the undersigned affirms that they are authorized to execute this contract, that this company, corporation, firm, partnership or individual has not prepared this proposal in collusion with any other proposed, and have not communicated by the undersigned not by an employee or agent to any other person engaged in this type of business prior to the official opening of this proposal.

Signature of Authorized Company Representative

Date

EXCEPTION AND CONDITIONS OF THE PROPOSAL

Any deviations from the item specifications must be noted on the proposal sheet for that item and referenced below. Item specification deviation notifications appear on the following items:

If there are any exceptions of deviations to bid, state below:

If there are no exceptions, state here.

Specifications

04/05/2024

To
Equipment Preference Inc. (E.P.I.)
Reagan Turner
San Antonio, TX
(817) 552-5500
8175541812 (Contact)

Project
Divine Elementary School
Divine ISD
Q-00434
Divine, TX 78016

From
Duke Manufacturing
Randy Troutt
2224 North 10th Street
St. Louis, MO 63102-1421
314-231-1130
800-735-3853 1290 (Contact)

ITEM 1 - HOT FOOD SERVING COUNTER / TABLE (1 REQ'D)

Duke Manufacturing Model TEHF-60SS Dimensions: 36(h) x 60(w) x 32(d)

Thurmaduke™ Hot Food Unit, mobile, electric, 60"W x 32"D x 36"H, 16ga stainless steel top, (4) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga stainless steel body & undershelf, 5" swivel casters & brakes, 6 ft cord with plug, cULus, UL EPH Classified (NOTE: Electric values & plug configurations change for 3 phase or when adding electric options - Contact Factory for more info)



- 1 ea Model TEHF60-208-1 208v/60/1-ph, 3600 watts, 17.3 amps
- 1 ea Model MOD-14-4 14ga stainless steel top, in lieu of standard
- 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
- 1 ea Model MOD-4P Veneer on customer's side
- 1 ea Model MOD-P-END Veneer on end, each
- 1 ea Model SOLID-FX-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on fixed brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)

* Continuous Style over adjacent item *

* 10" deep in lieu of standard *

* 30" high *

- 1 ea Model 442-4S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (3) hinged brackets, shelf mounted flush to counter top (specify any special height)
- 2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source
- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached
- 1 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached
- 1 ea Model TS462-60 Contemporary Food Shield, 59-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts

- 1 ea Model TS400LED-4 LED light under shelf & wired to base, 120v/60/1-ph (this may require cord & plug option)
- 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1				Cord & Plug							
2	208	60	1				17.3	3.6			
3	120	60	1								

WATER

	HOT SIZE	HOT AFF	HOT GPH	COLD SIZE	COLD AFF	FILTERED SIZE	FILTERED AFF	CONDENSER INLET SIZE	CONDENSER OUTLET SIZE
1									

WASTE

	INDIRECT SIZE	DIRECT SIZE
1	3/4"	

ITEM 4 - SERVING COUNTER, COLD FOOD (1 REQ'D)

Duke Manufacturing Model TCM-46SS-N7 Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Cold Food Unit, mobile, 46"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 42-1/2" x 21-3/4" liner, 1" drain line & valve, stainless steel body & undershelf, 5" dia. swivel casters & brakes, R448a, 120v/60/1-ph, 6.78 amps, NEMA 5-15P, cULus, UL EPH Classified



- 1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard,
 - * Continuous Style over adjacent item *
- 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
- 1 ea Model MOD-3P Veneer on customer's side
- 1 ea Model SOLID-FX-3CU Tray Slide, customer's side, 46" W, solid stainless steel, on fixed brackets, with (2) 1/8" die-formed rubbing tracks,
 - * Continuous Style over adjacent item *
 - * 10" deep in lieu of standard *
 - * 30" high *
- 1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source
- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-HT Special Height Body, per unit
- 1 ea Model MOD-HT-32 32" Height Body
- 1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached
- 1 ea Model TS462-46 Contemporary Food Shield, 45-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts
- 1 ea Model TS400LED-3 LED light under shelf & wired to base, 120v/60/1-ph (this may require cord & plug option)
- 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1	120	60	1	Cord & Plug		5-15P	6.78				
2	120	60	1								

WATER

	HOT SIZE	HOT AFF	HOT GPH	COLD SIZE	COLD AFF	FILTERED SIZE	FILTERED AFF	CONDENSER INLET SIZE	CONDENSER OUTLET SIZE
1									

WASTE

	INDIRECT SIZE	DIRECT SIZE
1	1"	

ITEM 6 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TTU-90SS Dimensions: 36(h) x 31(w) x 32(d)

Thurmaduke™ Triangle Unit, 90° corner, mobile, 32" triangle, 36"H, 16ga stainless steel top, 20ga stainless steel enclosed body, 5" dia. gray poly swivel casters & brakes, NSF

- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard,
 - * Continuous Style over adjacent item *
- 1 ea Model MOD-HT Special Height Body, per unit
- 1 ea Model MOD-HT-32 32" Height Body
- 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover



ITEM 7 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-18SS Dimensions: 36(h) x 18(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 18"W x 32"D x 36"H, 16ga stainless steel top, 20ga stainless steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

- 1 ea Model MOD-14-1 14ga stainless steel top, in lieu of standard,
 - * Continuous Style over adjacent item *
- 1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)
- 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
- 1 ea Model MOD-1P-D Veneer on door
- 1 ea Model L-SOLID "L" shape solid trayslide mitred joint
- 1 ea Model SOLID-FX-10P Tray Slide, operator's side, 18" W x 12-1, & mounted 34" high (specify any special height)/4" D, solid stainless steel, on fixed brackets, with (2) 1/8" die-formed rubbing tracks
 - * Continuous Style over adjacent item *
 - * 10" deep in lieu of standard *
 - * 30" high *
- 1 ea Model L-SOLID "L" shape solid trayslide mitred joint
- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-HT Special Height Body, per unit
- 1 ea Model MOD-HT-32 32" Height Body
- 1 ea Model MOD-FLR Filler panel for special length, mounted on end, enclosed both sides & end, includes longer counter top, longer tray slide if needed, no other equipment in filler
- 1 ea Model FLLR1 with 1" body filler panel **customer side**
- 1 ea Model 329-SS-1L Single door, no lock, left hand hinge, stainless steel, magnetic catch,



- recessed stainless steel pull
- 1 ea Model MOD-2S-1CU Kick Plate, customer's side, stainless steel, recessed, screw attached
 - 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover
 - 1 ea Model CUSTOM Electric load center in base, panel box & cover, applied panel schedule, receptacles & circuit breakers mounted & wired, stainless steel wire chase & removable cover, 120/208 volt, 60 cycle, 1 phase,

FSEC to coordinate direct wired connection at jobsite

ITEM 8 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30SS Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga stainless steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

- 1 ea Model CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand
 - 1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard
 - 1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)
 - 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
 - 1 ea Model MOD-2P-CR Veneer on cashier's right
 - 1 ea Model SOLID-FX-32CR Tray Slide, cashier's right, 30" W, solid stainless steel, on fixed brackets, with (2) 1/8" die-formed rubbing tracks,
- * 10" deep in lieu of standard *
- * 30" high *
- 1 ea Model CORD 6 ft. cord & plug
 - 1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source
 - 1 ea Model CUT-OP1-G Round cutout with grommet, in counter top, for cord pass
 - 1 ea Model MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling



ITEM 9 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30SS Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga stainless steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

- 1 ea Model CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand
 - 1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard
 - 1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)
 - 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
 - 1 ea Model MOD-2P-CL Veneer on cashier's left
 - 1 ea Model SOLID-FX-32CL Tray Slide, cashier's left, 30" W, solid stainless steel, on fixed brackets, with (2) 1/8" die-formed rubbing tracks,
- * 10" deep in lieu of standard *
- * 30" high *
- 1 ea Model CORD 6 ft. cord & plug
 - 1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source
 - 1 ea Model CUT-OP1-G Round cutout with grommet, in counter top, for cord pass
 - 1 ea Model MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling



ITEM 10 - SERVING COUNTER, UTILITY (1 REQ'D)**Duke Manufacturing Model TST-18SS Dimensions: 36(h) x 18(w) x 32(d)**

Thurmaduke™ Solid Top Unit, mobile utility counter, 18"W x 32"D x 36"H, 16ga stainless steel top, 20ga stainless steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

- 1 ea Model MOD-14-1 14ga stainless steel top, in lieu of standard,
- * Continuous Style over adjacent item *
- 1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)
- 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
- 1 ea Model MOD-1P-D Veneer on door
- 1 ea Model L-SOLID "L" shape solid trayslide mitred joint
- 1 ea Model SOLID-FX-10P Tray Slide, operator's side, 18" W x 12-1, & mounted 34" high (specify any special height)/4" D, solid stainless steel, on fixed brackets, with (2) 1/8" die-formed rubbing tracks
- * Continuous Style over adjacent item *
- * 10" deep in lieu of standard *
- * 30" high *
- 1 ea Model L-SOLID "L" shape solid trayslide mitred joint
- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-HT Special Height Body, per unit
- 1 ea Model MOD-HT-32 32" Height Body
- 1 ea Model MOD-2S-1CU Kick Plate, customer's side, stainless steel, recessed, screw attached
- 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

**ITEM 11 - SERVING COUNTER, UTILITY (1 REQ'D)****Duke Manufacturing Model TTU-90SS Dimensions: 36(h) x 31(w) x 32(d)**

Thurmaduke™ Triangle Unit, 90° corner, mobile, 32" triangle, 36"H, 16ga stainless steel top, 20ga stainless steel enclosed body, 5" dia. gray poly swivel casters & brakes, NSF

- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard,
- * Continuous Style over adjacent item *
- 1 ea Model MOD-HT Special Height Body, per unit
- 1 ea Model MOD-HT-32 32" Height Body
- 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

**ITEM 12 - SERVING COUNTER, COLD FOOD (1 REQ'D)****Duke Manufacturing Model TCM-46SS-N7 Dimensions: 36(h) x 46(w) x 32(d)**

Thurmaduke™ Cold Food Unit, mobile, 46"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 42-1/2" x 21-3/4" liner, 1" drain line & valve, stainless steel body & undershelf, 5" dia. swivel casters & brakes, R448a, 120v/60/1-ph, 6.78 amps, NEMA 5-15P, cULus, UL EPH Classified

- 1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard,
- * Continuous Style over adjacent item *
- 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
- 1 ea Model MOD-3P Veneer on customer's side
- 1 ea Model SOLID-FX-3CU Tray Slide, customer's side, 46" W, solid stainless steel, on fixed



brackets, with (2) 1/8" die-formed rubbing tracks,

* Continuous Style over adjacent item *

* 10" deep in lieu of standard *

* 30" high *

- 1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source
- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-HT Special Height Body, per unit
- 1 ea Model MOD-HT-32 32" Height Body
- 1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached
- 1 ea Model TS462-46 Contemporary Food Shield, 45-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshef & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts
- 1 ea Model TS400LED-3 LED light under shelf & wired to base, 120v/60/1-ph (this may require cord & plug option)
- 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1	120	60	1	Cord & Plug		5-15P	6.78				
2	120	60	1								

WATER

	HOT SIZE	HOT AFF	HOT GPH	COLD SIZE	COLD AFF	FILTERED SIZE	FILTERED AFF	CONDENSER INLET SIZE	CONDENSER OUTLET SIZE
1									

WASTE

	INDIRECT SIZE	DIRECT SIZE
1	1"	

ITEM 17 - HOT FOOD SERVING COUNTER / TABLE (1 REQ'D)

Duke Manufacturing Model TEHF-60SS Dimensions: 36(h) x 60(w) x 32(d)

Thurmaduke™ Hot Food Unit, mobile, electric, 60"W x 32"D x 36"H, 16ga stainless steel top, (4) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga stainless steel body & undershef, 5" swivel casters & brakes, 6 ft cord with plug, cULus, UL EPH Classified (NOTE: Electric values & plug configurations change for 3 phase or when adding electric options - Contact Factory for more info)



- 1 ea Model TEHF60-208-1 208v/60/1-ph, 3600 watts, 17.3 amps
- 1 ea Model MOD-14-4 14ga stainless steel top, in lieu of standard
- 1 ea Model P-LAM Veneer plastic laminate on body (NOTE: Manufacturer's standard colors ONLY, metallics, color-core & raised textures may incur additional cost)
- 1 ea Model MOD-4P Veneer on customer's side
- 1 ea Model MOD-P-END Veneer on end, each
- 1 ea Model SOLID-FX-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on fixed brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)

* Continuous Style over adjacent item *

* 10" deep in lieu of standard *

* 30" high *

- 1 ea Model 442-4S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (3) hinged brackets, shelf mounted flush to counter top (specify any special height)
- 2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or

Divine Elementary School

- single receptacle & stainless steel cover, wired to existing power source
- 1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot
- 1 ea Model MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached
- 1 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached
- 1 ea Model TS462-60 Contemporary Food Shield, 59-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts
- 1 ea Model TS400LED-4 LED light under shelf & wired to base, 120v/60/1-ph (this may require cord & plug option)
- 1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1				Cord & Plug							
2	208	60	1				17.3	3.6			
3	120	60	1								

WATER

	HOT SIZE	HOT AFF	HOT GPH	COLD SIZE	COLD AFF	FILTERED SIZE	FILTERED AFF	CONDENSER INLET SIZE	CONDENSER OUTLET SIZE
1									

WASTE

	INDIRECT SIZE	DIRECT SIZE
1	3/4"	